

---

*North America's Leader in Hazardous Material Information Management*  
*1905 Aston Avenue, Carlsbad, CA 92008*  
*Phone (800) 451-8346 Fax (760) 602-8888*

---

## MSDS PRODUCT INFORMATION

Date: 10/07/2005  
To: MSDS Requester  
From: 3E Company  
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☐ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☒ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Oase Pumps  
Product Name: Clarity

## Material Safety Data Sheet

Note: This information is believed to be correct, no warranty, express or implied is made to accuracy.

## SECTION I.

**Oase Pumps, Inc.**

MSDS

12/22/95

17322 Murphy Ave.

Irvine, CA 92714

Emergency Phone: (770)955-7750

PRODUCT:	CLARITY
SECTION II. HAZARDOUS MATERIALS Polyquaternary Amine in Water Solution No permissible exposure limits established	NFPA Health 0 Fire 0 Reactivity 0
	Same Title III (Not Applicable) Immediate (Acute) Health no Delayed (Chronic) Health no Fire no Sudden Release of Pressure no Reactive no
SECTION III. PHYSICAL DATA:	

Boiling Point	212 F
Appearance & Odor	Light Greenish, clear liquid

## SECTION IV.

## FIRE &amp; EXPLOSION DATA

Flash Point (method)	Non Combustible
Extinguishing Media	Not Combustible
Special Fire Fighting Procedure:	breathing apparatus approved by NIOSH should be used.
Unusual Fire Hazards	None

## SECTION V.

## HEALTH HAZARD DATA

## Effects of Overexposure:

Acute: Eyes:	unlikely, but mild irritation is remotely possible
Skin:	unlikely, but mild irritation is remotely possible
Inhalation:	irritation is unlikely. Not expected to be harmful if inhaled
Ingestion:	irritation is unlikely. LD50 for Rat 79,000 MG/KG
Chronic:	None known.
Carcinogenicity:	Not listed as a carcinogen by NTP, IARC OR OSHA

Notes to Physician:

Eyes and Skin:	Flush area thoroughly with water.
Ingestion:	Dilute with water.
Inhalation:	Remove to fresh air.

## Emergency &amp; First Aid Procedures:

Eyes: Flush eyes for 15 minutes including under lids.

Skin: Wash contaminated area with water.

Inhalation: Remove to fresh air. If irritation or discomfort develops, GET MEDICAL ATTENTION

Ingestion: Drink water.

**SECTION VI.  
REACTIVITY DATA**

Conditions Contributing to Instability: STABLE

Incompatibility Avoid contact with strong oxidizing agents. Contact with metals may cause corrosion.

Hazardous Decomposition Products: None

Conditions Contributing to Hazardous Polymerization: Will not occur

**SECTION VII.  
SPILL OR LEAK PROCEDURES**

Steps to be taken in case material is released or spilled:

Keep spilled material away from oxidizing agents.  
Clean up area with water and flush into drain.

Waste Disposal Method:

Add water, dilute, and flush to the sewer. Follow Federal, State and local regulations.

**SECTION VIII.  
SPECIAL PROTECTION INFORMATION**

Respiratory Protection: Provide general ventilation and local exhaust ventilation

Protective Equipment: An eye wash station and safety shower should be readily available.

**SECTION IX.  
SPECIAL PRECAUTIONS**

Precautions to be taken in handling and storage: Store material in sealed containers in a dry place, away from oxidizing materials or metals (due to corrosion possibility). Protect containers from physical damage.